

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
6 November 2003 (06.11.2003)

PCT

(10) International Publication Number
WO 03/091486 A1

(51) International Patent Classification⁷: **D01F 9/12**, D01C 5/00, C09C 1/48, B32B 19/00, D02G 3/00

(21) International Application Number: PCT/US03/00991

(22) International Filing Date: 13 January 2003 (13.01.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/128,118 23 April 2002 (23.04.2002) US

(71) Applicant: **NANTERO, INC.** [US/US]; 25-D Olympia Avenue, Woburn, MA 01801 (US).

(72) Inventors: **WARD, Jonathan, W.**; 824 Arboretum Way, Burlington, MA 01803 (US). **RUECKES, Thomas**; 82 Myrtle Street #2, Boston, MA 02114 (US). **SEGAL, Brent, M.**; 8 Prospect Avenue #1, Woburn, MA 01801 (US).

(74) Agents: **DICHIARA, Peter, M.** et al.; Hale and Dorr LLP, 60 State Street, Boston, MA 02109 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS OF USING PRE-FORMED NANOTUBES TO MAKE CARBON NANOTUBE FILMS, LAYERS, FABRICS, RIBBONS, ELEMENTS AND ARTICLES



510 OXYDATION DE LA SURFACE DU SUBSTRAT 52
(FACULTATIF)
520 FORMATION DE DÉRIVÉS SUR LA SURFACE DU
SUBSTRAT (PAR EXEMPLE AVEC APTS, HMDS OU UN
AUTRE SILANE)
530 DISPERSION DES NANOTUBES SUR LA SURFACE 54
PAR CENTRIFUGATION
540 RECUIT PAR CUISSON PAR EXEMPLE (FACULTATIF)

(57) Abstract: Methods of Using Preformed Nanotubes to Make Carbon Nanotube films, Layers, Fabrics, Ribbons, elements and Articles are disclosed. To make various articles, certain embodiments provide a substrate (12). Preformed nanotubes are applied to a surface of the substrate to create a non-woven fabric of carbon nanotubes. Portions of the non-woven fabric (54) are selectively removed according to a defined pattern to create the article. To make a nanofabric, a substrate is provide. Preformed nanotubes are applied to a surface of the substrate to create a non-woven fabric of carbon nanotubes wherein the non-woven fabric is substantially uniform density.



WO 03/091486 A1

